

FIGURE 1





FIGURE 2A



**FIGURE 2B**




FIGURE 2C

Activity of  
Compounds





FIGURE 3

## Optimum Molecular Weight





FIGURE 4A

$$g(x) = h e^{-\frac{(x-\mu)^2}{4\sigma^2}}$$

## N-Dimensional Gaussian Modeling

Additive

$$g(x_{i..N}) = \frac{1}{N} \sum_{i=1}^N h_i e^{-\frac{(x_i - \mu_i)^2}{4\sigma_i^2}}$$

Multiplicative

$$g(x_{i..N}) = h e^{-\frac{1}{N} \sum_{i=1}^N (x_i - \mu_i)^2 / 4\sigma_i^2}$$





FIGURE 4B

## Optimization Function

$$g(\mathbf{x}, \mu, \sigma, h, t) = t + h e^{-\sum_{k=1}^{N_x} (\bar{x}_k - \mu_k)^2 / 4 \sigma_k^2}$$




FIGURE 4C

## Initial Values for Optimization

$$t_0 = \min(\mathbf{y})$$

$$h_0 = \max(\mathbf{y}) - t_0$$

$$\mu_{0,k} = \frac{\sum_{i=1}^{N_{inh}} (y_i - t_0)^2 x_{k,i}}{\sum_{i=1}^{N_{inh}} (y_i - t_0)^2}$$

$$\sigma_{0,k} = \sqrt{\frac{\sum_{i=1}^{N_{inh}} (y_i - t_0)^2 (x_{k,i} - \mu_k)^2}{\sum_{i=1}^{N_{inh}} (y_i - t_0)^2}}$$

$$\sigma_y = \sqrt{\frac{\sum_{i=1}^{N_{inh}} (y_i - \bar{y}_{inh})^2}{N_{inh} - 1}}$$

FIGURE 4D

## Gaussian Optimization Function

$$f(\mathbf{x}) = t + h e^{-\sum_{k=1}^{N_x} \frac{(x_k - c_k)^2}{4w_k^2}}$$




FIGURE 4E

## Gaussian Optimization Starting Values

$$\sigma_y^2 = \frac{\sum_{i=I}^{N_{inh}} u_i (y_i - \bar{y})^2}{\sum_{i=I}^{N_{inh}} u_i}$$

$$t_0 = \min(\mathbf{y})$$

$$h_0 = \max(\mathbf{y}) - t_0$$

$$\sigma_{x_k}^2 = \frac{\sum_{i=I}^{N_{inh}} u_i (x_{k,i} - \bar{x}_k)^2}{\sum_{i=I}^{N_{inh}} u_i}$$

$$\nu_i = \frac{(y_i - t_0)^2}{\sigma_y^2}$$

$$c_{0,k} = \frac{\sum_{i=I}^{N_{inh}} u_i v_i x_{k,i}}{\sum_{i=I}^{N_{inh}} u_i v_i}$$

$$w_{0,k}^2 = \frac{\sum_{i=I}^{N_{inh}} u_i v_i (x_{k,i} - c_{0,k})^2}{\sum_{i=I}^{N_{inh}} u_i v_i}$$

FIGURE 4F

## Performance Metrics

$n_k = \frac{\sigma_{x_k}}{w_k}$	Descriptor Focus
$s = \sqrt{\frac{\sum_{i=1}^{N_y} u_i (f(\mathbf{x}_i) - y_i)^2}{\sum_{i=1}^{N_y} u_i}}$	Standard Error
$r^2 = \frac{\left( \sum_{i=1}^{N_y} u_i (f(\mathbf{x}_i) - \bar{f}(\mathbf{x})) (\bar{y}_i - \bar{y}) \right)^2}{\sum_{i=1}^{N_y} u_i (f(\mathbf{x}_i) - \bar{f}(\mathbf{x}))^2 \sum_{i=1}^{N_y} u_i (\bar{y}_i - \bar{y})^2}$	Correlation Coefficient
$q^2 = 1 - s^2 / \sigma_y^2$	Residual Error

FIGURE 4G




FIGURE 4H

## Sigmoid Optimization Function

$$f(\mathbf{x}) = t + \frac{h}{1 + \sum_{k=1}^{N_x} e^{-n_k(x_k - c_k)}}$$

$$f_o = s_y \left( \begin{array}{l} \left( \sum_{i=1}^{N_y} u_i (f(\mathbf{x}_i) - y_i)^2 \right) \\ \sigma_y^2 \sum_{i=1}^{N_y} u_i \end{array} \right)$$

Weighted Mean Squared Error

$$+ s_c \sum_{k=1}^{N_x} \frac{(c_k - c_{y,k})^2}{\sigma_{x_k}^2}$$

Center Constraint

$$+ s_n \sum_{k=1}^{N_x} |n_k| \sigma_{x_k}$$

Focus Constraint

$$+ s_t \frac{(t - t_0)^2}{\sigma_y^2}$$

Tare Constraint

FIGURE 4I

## FIGURE 4J

### Sigmoid Optimization Starting Values

$$t_0 = \min(\mathbf{y})$$

$$c_{h,k} = \frac{\sum_{i=1}^{N_{inh}} u_i v_i x_{k,i}}{\sum_{i=1}^{N_{inh}} u_i v_i}$$

$$\mathcal{W}_{h,k} = \sqrt{\frac{\sum_{i=1}^{N_{inh}} u_i v_i (x_{k,i} - c_{h,k})^2}{\sum_{i=1}^{N_{inh}} u_i v_i}}$$

$$h_0 = \max(\mathbf{y}) - t_0$$

$$c_{l,k} = \frac{\sum_{i=1}^{N_{inh}} u_i v_i' x_{k,i}}{\sum_{i=1}^{N_{inh}} u_i v_i'}$$

$$\mathcal{W}_{l,k} = \sqrt{\frac{\sum_{i=1}^{N_{inh}} u_i v_i' (x_{k,i} - c_{l,k})^2}{\sum_{i=1}^{N_{inh}} u_i v_i'}}$$

$$v_i = \frac{(y_i - t_0)^2}{\sigma_y^2}$$

$$c_{0,k} = \frac{c_{h,k} + c_{l,k}}{2}$$

$$\mathcal{W}_{0,k} = \frac{c_{h,k} - c_{l,k}}{\mathcal{W}_{h,k} \mathcal{W}_{l,k}}$$




FIGURE 5




FIGURE 6

## Optimum logP





FIGURE 7A

# Optimum Formal Charge




FIGURE 7B

## Automated Gaussian Fit




FIGURE 7C

## 2D6 K<sub>i</sub> Model

### Non-linear Size Relation




FIGURE 7D




FIGURE 8A




FIGURE 8B




FIGURE 9